

RECEIVED
CENTRAL FAX CENTER

LAW OFFICES

JAN 17 2006

ROSENBERG, KLEIN & LEE
CHARTEREDMORTON J. ROSENBERG
DAVID L. KLEIN
JUN Y. LEE
RAJIV S. SHAH *PATENT AGENTS
DAVID R. WOOD

3458 ELLICOTT CENTER DRIVE

ELLICOTT CITY, MARYLAND 21043

PHONE (410)-465-6678 OR (410)-465-MORT

TELEFAX (410)-461-3067

INTERNET: rkl@rkllpatlaw.com

PATENT, TRADEMARK & COPYRIGHT MATTERS

PATENT RESEARCH
SPECIALISTSJOHN V. PRESTIA
RAYMOND J. DUDEK
EVA BURDMAN
RUSSELL SCHUMANN
KEVIN PHIPPS

* PA and DC Bars

DATE: 1/17/2006 TIME SENT: A.M./P.M. 4:30TOTAL PAGES (INCLUDING COVER SHEET): Nine (9)ATTENTION: Examiner D. Suhol Group Art Unit # 3725

TO: U.S. Patent and Trademark Office

TO FAX NUMBER: 1-571-273-8300TRANSMITTING FROM: ROSENBERG, KLEIN & LEE
Facsimile Number: 410-461-3067
Telephone Number: 410-465-6678OUR DOCKET NO: MR957-1404 APPLICATION SERIAL NO: 10/679,311**PLEASE NOTIFY US AT ONCE IF NOT RECEIVED PROPERLY.**

ADDITIONAL COMMENTS:

FORMAL COMMUNICATION FOR ENTRYForwarded is an Amendment responsive to Office Action dated
15 September 2005 for filing and processing.

RSS/tea

Rajiv S. Shah
Registration No. 56,2474 pages
missing

MR957-1404

JAN 17 2006

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Sheng-Tsung Wang, et al. : Group
Serial No: 10/679,311 : Art Unit #3725
Filed: 7 October 2003 : Examiner:
Title: ACTUATING MECHANISM FOR A : D. Suhol
MOVABLE ARM OF A PIPE BENDER

AMENDMENT

Mail Stop – Amendment
Honorable Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

The Examiner issued an Office Action dated 15 September 2005 in the above-referenced Patent Application. The reply period having now expired, a Request and fee for a one month Extension of Time is concurrently filed herewith to ensure timely filing.

Responsive to the Office Action dated 15 September 2005, please amend the above-referenced Patent Application as follows:

Amendments to the Claims are reflected in the Listing of Claims which begins on page 2 of this paper.

Remarks/Arguments begin on page 4 of this paper.